

Metz Micro 750 mm white without motor

Item number: 423.19.6801.0

€ 1.204,64

EAN: 5703347526749

Thermex Metz micro 750 mm in white without motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



Specifications

Control	Remote control
Material	White painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 750 mm white with motor

Item number: 423.19.6801.2

€ 1.480,85

EAN: 5703347526756

B

Thermex Metz micro 750 mm with motor in white is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by the included remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 612 m³/h

Specifications

Minimum airflow [m ³ /h]	211
Minimum-Soundpower [dB(A)]	48
Maximum-airflow [m ³ /h]	612
Maximum-Soundpower [dB(A)]	71
Energy consumption [W]	223
Control	Remote control
Material	White painted steel



Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 750 mm black without motor

Item number: 423.19.6802.0

€ 1.204,64

EAN: 5703347529078

Thermex Metz micro 750 mm in black with motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an upper cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



Specifications

Control	Remote control
Material	Black painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 750 mm black with motor

Item number: 423.19.6802.2

€ 1.480,85

EAN: 5703347529085

B

Thermex Metz micro 750 mm in black with motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an upper cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by the included remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 612 m³/h



Specifications

Minimum airflow [m ³ /h]	211
Minimum-Soundpower [dB(A)]	48
Maximum-airflow [m ³ /h]	612
Maximum-Soundpower [dB(A)]	71
Energy consumption [W]	223
Control	Remote control
Material	Black painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 550 mm white without motor

Item number: 423.19.6601.0

€ 972,79

EAN: 5703347525148

Thermex Metz micro in white without motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



Specifications

Control	Remote control
Material	White painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 550 mm white with motor

Item number: 423.19.6601.2

€ 1.248,99

EAN: 5703347525155

B

Thermex Metz micro 550 mm in white with motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build in an upper cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by the included remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 612 m³/h



Specifications

Minimum airflow [m ³ /h]	211
Minimum-Soundpower [dB(A)]	48
Maximum-airflow [m ³ /h]	612
Maximum-Soundpower [dB(A)]	71
Energy consumption [W]	223
Control	Remote control
Material	White painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 550 mm black without motor

Item number: 423.19.6602.0

€ 972,79

EAN: 5703347529054

Thermex Metz micro 550mm in black without motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build in an upper cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



Specifications

Control	Remote control
Material	Black painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 550

Item number:


€ 0,00

EAN: 5703347525148

Specifications

Control

Remote control



Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Metz Micro 550 mm black with motor

Item number: 423.19.6602.2

€ 1.248,99

EAN: 5703347529061

B

Thermex Metz micro 550 mm in black with motor is a stylish built-in scope and is suitable for the slightly smaller kitchen or if you want to build it into an upper cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by the included remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voicelink](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz micro. Metz micro will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 612 m³/h



Specifications

Minimum airflow [m ³ /h]	211
Minimum-Soundpower [dB(A)]	48
Maximum-airflow [m ³ /h]	612
Maximum-Soundpower [dB(A)]	71
Energy consumption [W]	223
Control	Remote control
Material	Black painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

Thermex Link

Name	Number	Price
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46