

Metz Medio II - white for external motor


Item number: 423.46.3151.0

€ 2.801,41

EAN: 5703347532849

Modern aesthetics and advanced efficiency meet in the white Metz Medio II ceiling hood from Thermex. Stylish design, advanced technology, and nearly silent operation create the perfect kitchen environment.

Metz Medio II from Thermex is a ceiling-integrated range hood that combines efficient ventilation with stylish design. It is made of white lacquered steel with an elegant white glass door and features two grease filters and four LED lamps. The unique feature of Kelvin-adjustable light offers the possibility to customize the color temperature of the lighting, giving the user the freedom to create a warm, cozy atmosphere or a cooler, white illumination as needed. Cleaning is easy with a glass plate that can be cleaned with window cleaner, and filters that can be washed in the dishwasher. Installation is convenient with a low built-in height, and the option to remove the glass plate makes it easy for one person to install the range hood. The range hood offers practical features such as app control via "Thermex Remote" in the App Store and Google Play, as well as voice control via Google Assistant, enhancing user-friendliness. Operation is elegant through a remote control with touch operation, giving the user control over suction power and light intensity. Additionally, it is possible to connect Thermex TopLink, allowing the range hood to be turned on from any electric stove or oven.



Specifications

Control	Remote control
Material	White painted steel and White glass

Eksterne motorer

Name	Number	Price
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
KF46 kulfilter for Passat II, Metz II	535.46.2000.9	€ 317,54
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 900 mm, white, low (H:155 mm)	500.00.3060.0	€ 725,81
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 8 60-215	815.16.8208.9	€ 24,19
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74

Thermex Link

Name	Number	Price
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71

Metz Medio II - 90x50 hvid m/1 låge, m/motor

Item number: 423.46.3151.2


€ 3.077,63

EAN: 5703347532856

A++

Modern aesthetics and advanced efficiency come together in the white Metz Medio II ceiling hood from Thermex. Stylish design, advanced technology, and almost silent operation create the perfect kitchen environment.

Metz Medio II from Thermex is a ceiling-integrated hood that combines efficient ventilation with stylish design. It is made of white-painted steel with an elegant white glass door and has two grease filters and four LED lights. The unique feature of Kelvin-adjustable light offers the possibility to customize the color temperature of the lighting, giving the user the freedom to create a warm, cozy atmosphere or a cooler, white lighting as needed. Cleaning is easy with a glass plate that can be cleaned with window cleaner, and filters that can be washed in the dishwasher. Installation is convenient with a low built-in height of under 20 cm, and the option to remove the glass plate makes it easy for one person to install the hood. The hood offers practical features such as app control via "Thermex Remote" in the App Store and Google Play, as well as voice control via Google Assistant, enhancing user-friendliness. Operation is elegant via a remote control with touch operation, giving the user control over suction power and light intensity. Additionally, it is possible to connect Thermex TopLink, which allows turning on the hood from any electric hob or oven. The motor is a built-in brushless ECO motor with impressive suction power of up to 750 m³/h and low noise level from 44 dB(A), creating a pleasant and efficient environment in the kitchen.



Specifications

Minimum airflow [m ³ /h]	190
Minimum-Soundpower [dB(A)]	44
Maximum-airflow [m ³ /h]	400
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m ³ /h]	750
Soundpower boost [dB(A)]	73
Control	Remote control
Material	White painted steel and White glass

Eksterne motorer

Name	Number	Price
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
KF46 kulfilter for Passat II, Metz II	535.46.2000.9	€ 317,54
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 900 mm, white, low (H:155 mm)	500.00.3060.0	€ 725,81
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 8 60-215	815.16.8208.9	€ 24,19
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74

Thermex Link

Name	Number	Price
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71

Metz Medio II - black for external motor


Item number: 423.46.3152.0

€ 2.801,41

EAN: 5703347532863

Modern aesthetics and advanced efficiency meet in the black Metz Medio II ceiling hood from Thermex. Stylish design, advanced technology, and nearly silent operation create the perfect kitchen environment.

Metz Medio II from Thermex is a ceiling-integrated range hood that combines efficient ventilation with stylish design. It is made of black lacquered steel with an elegant black glass door and features two grease filters and four LED lamps. The unique feature of Kelvin-adjustable light offers the possibility to customize the color temperature of the lighting, giving the user the freedom to create a warm, cozy atmosphere or a cooler, white illumination as needed. Cleaning is easy with a glass plate that can be cleaned with window cleaner, and filters that can be washed in the dishwasher. Installation is convenient with a low built-in height, and the option to remove the glass plate makes it easy for one person to install the range hood. The range hood offers practical features such as app control via "Thermex Remote" in the App Store and Google Play, as well as voice control via Google Assistant, enhancing user-friendliness. Operation is elegant through a remote control with touch operation, giving the user control over suction power and light intensity. Additionally, it is possible to connect Thermex TopLink, allowing the range hood to be turned on from any electric stove or oven.



Specifications

Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
KF46 kulfilter for Passat II, Metz II	535.46.2000.9	€ 317,54
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 900 mm, white, low (H:155 mm)	500.00.3060.0	€ 725,81
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 8 60-215	815.16.8208.9	€ 24,19
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74

Thermex Link

Name	Number	Price
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71

Metz Medio II - black with internal motor

Item number: 423.46.3152.2


€ 3.077,63

EAN: 5703347532870

A++

Modern aesthetics and advanced efficiency come together in the black Metz Medio II ceiling extractor hood from Thermex. Stylish design, advanced technology, and almost silent operation create the perfect kitchen environment.

Metz Medio II from Thermex is a ceiling-integrated extractor hood that combines effective ventilation with stylish design. It is made of black-painted steel with an elegant black glass door and features two grease filters and four LED lamps. The unique feature of Kelvin-adjustable light offers the possibility to customize the color temperature of the lighting, giving the user the freedom to create a warm, cozy atmosphere or a cooler, white illumination as needed. Cleaning is easy with a glass plate that can be cleaned with window cleaner and filters that are dishwasher-safe. Installation is convenient with a low built-in height of under 20 cm, and the option to remove the glass plate makes it easy for one person to install the extractor hood. The hood offers practical features such as app control via "Thermex Remote" in the App Store and Google Play, as well as voice control via Google Assistant, enhancing user-friendliness. Operation is elegant via a remote control with touch operation, giving the user control over suction power and light intensity. Additionally, it is possible to connect Thermex TopLink, allowing the hood to be turned on from any electric hob or oven. The motor is a built-in brushless ECO motor with an impressive suction power of up to 750 m³/h and a low noise level of 44 dB(A), creating a comfortable and efficient environment in the kitchen.



Specifications

Minimum airflow [m ³ /h]	190
Minimum-Soundpower [dB(A)]	44
Maximum-airflow [m ³ /h]	400
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m ³ /h]	750
Soundpower boost [dB(A)]	73
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
KF46 kulfilter for Passat II, Metz II	535.46.2000.9	€ 317,54
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 900 mm, white, low (H:155 mm)	500.00.3060.0	€ 725,81
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 8 60-215	815.16.8208.9	€ 24,19
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74

Thermex Link

Name	Number	Price
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71

Metz Medio II

Item number:


€ 0,00

EAN: 5703347532856

Specifications

Control

Remote control



Eksterne motorer

Name	Number	Price
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
KF46 kulfilter for Passat II, Metz II	535.46.2000.9	€ 317,54
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 900 mm, white, low (H:155 mm)	500.00.3060.0	€ 725,81
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 8 60-215	815.16.8208.9	€ 24,19
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74

Thermex Link

Name	Number	Price
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71