

Super Silent GT 600 mm White Without motor

Item number: 520.19.1101.0


€ 623,99

EAN: 5703347525247

Thermex Super Silent GT 60 cm in white for external motor is an efficient and smart hood for cupboard mounting. By connecting an external motor, you ensure an ultra-low noise level in your kitchen

Thermex Super Silent GT is a hood with a modern and minimalist design. The Super Silent GT is equipped with decorative filters that give an exclusive look and ensure an optimal distribution of the suction. It is possible to buy more [Thermex Toplink@](#) which starts the hood automatically when you start cooking. In other words, this means that you only have to think about cooking, Thermex takes care of the practicalities.

The operation of the Super Silent GT is a simple and intuitive glass touch operation, with the possibility to choose the suction strength, activation of after suction (timer) and switch the light on/off. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter. You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent GT.




Specifications

| | |
|----------|--|
| Control | Glass touch |
| Material | White painted steel and White glass |

Super Silent GT

External motor



Revisjonstato: 04.03.2022

Eksterne motorer

| Name | Number | Price |
|--|---------------|------------|
| External TX motor, wall | 225.19.1100.2 | € 683,46 |
| External TX II motor, ceiling | 225.19.1200.2 | € 683,46 |
| External CKB - CAB-200, EC motor including AC/DC converter | 225.34.3721.2 | € 2.778,23 |
| E220S | 240.40.0111.0 | € 1.153,23 |
| E220P | 240.40.0110.0 | € 1.309,48 |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| Recirculation filter | 535.19.3600.9 | € 31,25 |

Thermex Link

| Name | Number | Price |
|--|---------------|------------|
| Prolink Basic III | 536.99.1550.9 | € 504,04 |
| Prolink Plasmex III | 536.99.1551.9 | € 1.403,23 |
| Prolink Premium III | 536.99.1552.9 | € 1.057,46 |
| Thermex Sensemex Indoor climate sensor | 536.99.5052.9 | € 227,83 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Thermex Hood Light Link | 536.99.1003.9 | € 231,85 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |
| Thermex Central ventilation link Ø125 mm | 536.99.1401.9 | € 683,46 |
| Thermex Central ventilation link Ø160 mm | 536.99.1403.9 | € 683,46 |

Super Silent GT 600 mm White With motor

Item number: 520.19.1101.2

€ 900,20

EAN: 5703347523083

B

Thermex Super Silent GT 60 cm in white with motor is an efficient and quiet hood for cupboard mounting. The built-in Eco motor ensures an ultra-low noise level for maximum comfort in the kitchen

The **Thermex Super Silent GT** is a hood with a modern and minimalist design but still efficient with a powerful and quiet motor. The Super Silent GT is equipped with decorative filters that give an exclusive look and ensure an optimal distribution of the suction. It is possible to buy more [Thermex Toplink®](#) which starts the hood automatically when you start cooking. In other words, this means that you only have to think about cooking, Thermex takes care of the practicalities.

The operation of the Super Silent GT is a simple and intuitive glass touch operation, with the possibility to choose the suction strength, activation of after suction (timer) and switch the light on/off. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter. You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent GT. The hood is equipped with an energy-friendly Eco motor with ultra-low noise level and powerful suction of 525 m3/h.


Specifications

| | |
|----------------------------|--|
| Minimum airflow [m3/h] | 184 |
| Minimum-Soundpower [dB(A)] | 39 |
| Maximum-airflow [m3/h] | 525.7 |
| Maximum-Soundpower [dB(A)] | 66 |
| Control | Glass touch |
| Material | White painted steel and White glass |



Super Silent GT

Internal motor



Revised date: 12/2019

Eksterne motorer

| Name | Number | Price |
|--|---------------|------------|
| External TX motor, wall | 225.19.1100.2 | € 683,46 |
| External TX II motor, ceiling | 225.19.1200.2 | € 683,46 |
| External CKB - CAB-200, EC motor including AC/DC converter | 225.34.3721.2 | € 2.778,23 |
| E220S | 240.40.0111.0 | € 1.153,23 |
| E220P | 240.40.0110.0 | € 1.309,48 |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| Recirculation filter | 535.19.3600.9 | € 31,25 |

Thermex Link

| Name | Number | Price |
|--|---------------|------------|
| Prolink Basic III | 536.99.1550.9 | € 504,04 |
| Prolink Plasmex III | 536.99.1551.9 | € 1.403,23 |
| Prolink Premium III | 536.99.1552.9 | € 1.057,46 |
| Thermex Sensemex Indoor climate sensor | 536.99.5052.9 | € 227,83 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Thermex Hood Light Link | 536.99.1003.9 | € 231,85 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |
| Thermex Central ventilation link Ø125 mm | 536.99.1401.9 | € 683,46 |
| Thermex Central ventilation link Ø160 mm | 536.99.1403.9 | € 683,46 |

Super Silent GT 600 mm Black With motor

Item number: 520.19.1102.2

€ 900,20

EAN: 5703347531613



Thermex Super Silent GT 60 cm in black with motor is an efficient and quiet extractor hood for cupboard mounting. The built-in Eco motor ensures an ultra-low noise level for maximum comfort in the kitchen

The **Thermex Super Silent GT** is a hood with a modern and minimalist design but still efficient with a powerful and quiet motor. The Super Silent GT is equipped with decorative filters that give an exclusive look and ensure an optimal distribution of the suction. It is possible to buy more [Thermex Toplink®](#) which starts the hood automatically when you start cooking. In other words, this means that you only have to think about cooking, Thermex takes care of the practicalities.

The operation of the Super Silent GT is a simple and intuitive glass touch operation, with the possibility to choose the suction strength, activation of after suction (timer) and switch the light on/off. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter. You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent GT. The hood is equipped with an energy-friendly Eco motor with ultra-low noise level and powerful suction of 525 m3/h.


Specifications

| | |
|----------------------------|--|
| Minimum airflow [m3/h] | 184 |
| Minimum-Soundpower [dB(A)] | 39 |
| Maximum-airflow [m3/h] | 525.7 |
| Maximum-Soundpower [dB(A)] | 66 |
| Control | Glass touch |
| Material | Black painted steel and Black glass |



Super Silent GT

Internal motor



Revised date: 02/2019

Eksterne motorer

| Name | Number | Price |
|--|---------------|------------|
| External TX motor, wall | 225.19.1100.2 | € 683,46 |
| External TX II motor, ceiling | 225.19.1200.2 | € 683,46 |
| External CKB - CAB-200, EC motor including AC/DC converter | 225.34.3721.2 | € 2.778,23 |
| E220S | 240.40.0111.0 | € 1.153,23 |
| E220P | 240.40.0110.0 | € 1.309,48 |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| Recirculation filter | 535.19.3600.9 | € 31,25 |

Thermex Link

| Name | Number | Price |
|--|---------------|------------|
| Prolink Basic III | 536.99.1550.9 | € 504,04 |
| Prolink Plasmex III | 536.99.1551.9 | € 1.403,23 |
| Prolink Premium III | 536.99.1552.9 | € 1.057,46 |
| Thermex Sensemex Indoor climate sensor | 536.99.5052.9 | € 227,83 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Thermex Hood Light Link | 536.99.1003.9 | € 231,85 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |
| Thermex Central ventilation link Ø125 mm | 536.99.1401.9 | € 683,46 |
| Thermex Central ventilation link Ø160 mm | 536.99.1403.9 | € 683,46 |

Super Silent GT 600 mm Stainless/Black With motor

Item number: 520.19.1108.2

€ 986,90

EAN: 5703347523090

B

Thermex Super Silent GT 60 cm in stainless steel with motor is an efficient and quiet hood for cupboard mounting. The built-in Eco motor ensures an ultra-low noise level for maximum comfort in the kitchen


The **Thermex Super Silent GT** is a hood with a modern and minimalist design but still efficient with a powerful and quiet motor. The Super Silent GT is equipped with decorative filters that give an exclusive look and ensure an optimal distribution of the suction. It is possible to buy more [Thermex Toplink®](#) which starts the hood automatically when you start cooking. In other words, this means that you only have to think about cooking, Thermex takes care of the practicalities.

The operation of the Super Silent GT is a simple and intuitive glass touch operation, with the possibility to choose the suction strength, activation of after suction (timer) and switch the light on/off. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter. You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent GT. The hood is equipped with an energy-friendly Eco motor with ultra-low noise level and powerful suction of 525 m³/h.



Super Silent GT

Internal motor



Revisjonsdato: 01.11.2019

Specifications

| | |
|-------------------------------------|--|
| Minimum airflow [m ³ /h] | 184 |
| Minimum-Soundpower [dB(A)] | 39 |
| Maximum-airflow [m ³ /h] | 525.7 |
| Maximum-Soundpower [dB(A)] | 66 |
| Control | Glass touch |
| Material | Stainless steel and Black glass |

Eksterne motorer

| Name | Number | Price |
|--|---------------|------------|
| External TX motor, wall | 225.19.1100.2 | € 683,46 |
| External TX II motor, ceiling | 225.19.1200.2 | € 683,46 |
| External CKB - CAB-200, EC motor including AC/DC converter | 225.34.3721.2 | € 2.778,23 |
| E220S | 240.40.0111.0 | € 1.153,23 |
| E220P | 240.40.0110.0 | € 1.309,48 |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| Recirculation filter | 535.19.3600.9 | € 31,25 |

Thermex Link

| Name | Number | Price |
|--|---------------|------------|
| Prolink Basic III | 536.99.1550.9 | € 504,04 |
| Prolink Plasmex III | 536.99.1551.9 | € 1.403,23 |
| Prolink Premium III | 536.99.1552.9 | € 1.057,46 |
| Thermex Sensemex Indoor climate sensor | 536.99.5052.9 | € 227,83 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Thermex Hood Light Link | 536.99.1003.9 | € 231,85 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |
| Thermex Central ventilation link Ø125 mm | 536.99.1401.9 | € 683,46 |
| Thermex Central ventilation link Ø160 mm | 536.99.1403.9 | € 683,46 |

Super Silent GT

Item number:

€ 0,00

EAN: 5703347525247

Specifications

Control

Glass touch



Eksterne motorer

| Name | Number | Price |
|--|---------------|------------|
| External TX motor, wall | 225.19.1100.2 | € 683,46 |
| External TX II motor, ceiling | 225.19.1200.2 | € 683,46 |
| External CKB - CAB-200, EC motor including AC/DC converter | 225.34.3721.2 | € 2.778,23 |
| E220S | 240.40.0111.0 | € 1.153,23 |
| E220P | 240.40.0110.0 | € 1.309,48 |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| Recirculation filter | 535.19.3600.9 | € 31,25 |

Thermex Link

| Name | Number | Price |
|--|---------------|------------|
| Prolink Basic III | 536.99.1550.9 | € 504,04 |
| Prolink Plasmex III | 536.99.1551.9 | € 1.403,23 |
| Prolink Premium III | 536.99.1552.9 | € 1.057,46 |
| Thermex Sensemex Indoor climate sensor | 536.99.5052.9 | € 227,83 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Thermex Hood Light Link | 536.99.1003.9 | € 231,85 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |
| Thermex Central ventilation link Ø125 mm | 536.99.1401.9 | € 683,46 |
| Thermex Central ventilation link Ø160 mm | 536.99.1403.9 | € 683,46 |