

Derby II 60 cm Stainless/glass With motor

EAN: 5703347532795

A⁺

Thermex Derby II 60 cm in stainless steel with a motor is a genuine classic with curved shapes in glass and steel. A powerful and reliable hood with super easy glass touch control.

Thermex Derby II 60 cm has a classic design with its curved glass panel. Many people appreciate the design and the clean look it achieves with the curved glass panel. It offers an affordable price and is a safe and popular purchase that simply looks great. The operation is simple and intuitive with glass touch controls, allowing you to control the hood's suction power and turn the lights on and off. Cleaning the Derby II is easy. The glass can be cleaned with regular window cleaner, and the filter can be easily removed and washed in the dishwasher. The built-in motor ensures effective extraction at 594 m³/h





Specifications

Minimum airflow [m3/h]215Minimum-Soundpower [dB(A)]41Maximum-airflow [m3/h]594Maximum-Soundpower [dB(A)]64Energy consumption [W]78

Control Glass touch

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter for Derby II wall	535.21.8300.9	€ 63,51
Mini Plasmex	535.21.1500.9	€ 607,86

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Safemex stove guard - 1 phase	536.06.1000.0	€839,71



Derby II 70 cm Stainless/glass With motor

EAN: 5703347532801

A⁺

Thermex Derby II 70 cm in stainless steel with a motor is a genuine classic with curved shapes in glass and steel. A powerful and reliable hood with super easy glass touch control.

Thermex Derby II 70 cm has a classic design with its curved glass panel. Many people appreciate the design and the clean look it achieves with the curved glass panel. It offers an affordable price and is a safe and popular purchase that simply looks great. The operation is simple and intuitive with glass touch controls, allowing you to control the hood's suction power and turn the lights on and off. Cleaning the Derby II is easy. The glass can be cleaned with regular window cleaner, and the filter can be easily removed and washed in the dishwasher. The built-in motor ensures effective extraction at 594 m³/h





Specifications

Minimum airflow [m3/h] 215
Minimum-Soundpower [dB(A)] 41
Maximum-airflow [m3/h] 594
Maximum-Soundpower [dB(A)] 64
Energy consumption [W] 78

Control Glass touch

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter for Derby II wall	535.21.8300.9	€ 63,51
Mini Plasmex	535.21.1500.9	€ 607,86

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Safemex stove guard - 1 phase	536.06.1000.0	€839,71



Derby II 90 cm Stainless/glass With motor

EAN: 5703347532818

A⁺

Thermex Derby II 90 cm in stainless steel with a motor is a genuine classic with curved shapes in glass and steel. A powerful and reliable hood with super easy glass touch control.

Thermex Derby II 90 cm has a classic design with its curved glass panel. Many people appreciate the design and the clean look it achieves with the curved glass panel. It offers an affordable price and is a safe and popular purchase that simply looks great. The operation is simple and intuitive with glass touch controls, allowing you to control the hood's suction power and turn the lights on and off. Cleaning the Derby II is easy. The glass can be cleaned with regular window cleaner, and the filter can be easily removed and washed in the dishwasher. The built-in motor ensures effective extraction at 595 m³/h





Specifications

Minimum airflow [m3/h]217Minimum-Soundpower [dB(A)]43Maximum-airflow [m3/h]595Maximum-Soundpower [dB(A)]66Energy consumption [W]78

Control Glass touch

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter for Derby II wall	535.21.8300.9	€ 63,51
Mini Plasmex	535.21.1500.9	€ 607,86

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Safemex stove guard - 1 phase	536.06.1000.0	€839,71




Derby II wall

Item number: € 124.998,75

EAN: 5703347532795

Thermex Derby II in stainless steel with a motor is a true classic with curved shapes in glass and steel. Powerful and reliable range hood with super simple glass touch control

Thermex Derby II has a classic design with its curved glass panel. Many people appreciate the design and the clean look it achieves with the curved glass panel. It offers an affordable price and is a safe and popular purchase that simply looks great. The operation is simple and intuitive with glass touch controls, allowing you to control the hood's suction power and turn the lights on and off. Cleaning the Derby II is easy. The glass can be cleaned with regular window cleaner, and the filter can be easily removed and washed in the dishwasher. The built-in motor ensures effective extraction at 594 m³/h



Specifications

Control Glass touch

Name	Number	Price	
------	--------	-------	--

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter for Derby II wall	535.21.8300.9	€ 63,51
Mini Plasmex	535.21.1500.9	€ 607,86

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Safemex stove guard - 1 phase	536.06.1000.0	€839,71