

Mini Perpignan

Item number:

€ 0,00

EAN:

Specifications

Energy consumption [W]


163

Control

Remote control

Material

Black painted steel and Black glass



Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Extension adapter, white, L: 1x1000 mm	537.23.1140.9	€ 240,93
Special channel, two-part, white, L: 2x1000 mm	537.23.1141.9	€ 392,14
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Ventmex Basic Wired kit	536.99.5000.9	€ 503,03
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Perpignan 600 mm Black With motor

Item number: 540.23.1868.2

€ 1.669,35

EAN: 5703347531903


A+++

Thermex Mini Perpignan 60 cm in black with motor is an inclined hood with energy-efficient ECO motor, kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

Model Mini Perpignan is a vertical hood. A low hood which, together with the special slanted design, means that the hood does not appear too violent on the wall. This applies both if it is mounted hanging solo or mounted in connection with overhead cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Perpignan. The built-in motor can produce up to 480 m³/h and as much as 720 m³/h when using the boost function



Specifications

Minimum airflow [m ³ /h]	140
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m ³ /h]	480
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m ³ /h]	720
Soundpower boost [dB(A)]	66
Energy consumption [W]	163
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Extension adapter, white, L: 1x1000 mm	537.23.1140.9	€ 240,93
Special channel, two-part, white, L: 2x1000 mm	537.23.1141.9	€ 392,14
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Ventmex Basic Wired kit	536.99.5000.9	€ 503,03
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Perpignan 800 mm Black With motor

Item number: 540.23.1888.2

€ 1.741,94

EAN: 5703347531941


A+++

Thermex Mini Perpignan 80 cm in black with motor is an inclined hood with energy-efficient ECO motor, kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

Model Mini Perpignan is a vertical hood. A low hood which, together with the special slanted design, means that the hood does not appear too violent on the wall. This applies both if it is mounted hanging solo or mounted in connection with overhead cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Perpignan. The built-in motor can produce up to 480 m³/h and as much as 720 m³/h when using the boost function



Specifications

Minimum airflow [m ³ /h]	140
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m ³ /h]	480
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m ³ /h]	720
Soundpower boost [dB(A)]	66
Energy consumption [W]	163
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Extension adapter, white, L: 1x1000 mm	537.23.1140.9	€ 240,93
Special channel, two-part, white, L: 2x1000 mm	537.23.1141.9	€ 392,14
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Ventmex Basic Wired kit	536.99.5000.9	€ 503,03
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Perpignan 600 mm Black Without motor

Item number: 540.23.1868.0

€ 1.394,15


EAN: 5703347531897

Thermex Mini Perpignan 60 cm in black without motor is an inclined hood with kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

Model Mini Perpignan is a vertical hood. A low hood which, together with the special slanted design, means that the hood does not appear too violent on the wall. This applies both if it is mounted hanging solo or mounted in connection with overhead cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Perpignan. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Extension adapter, white, L: 1x1000 mm	537.23.1140.9	€ 240,93
Special channel, two-part, white, L: 2x1000 mm	537.23.1141.9	€ 392,14
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Ventmex Basic Wired kit	536.99.5000.9	€ 503,03
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Perpignan 800 mm Black Without motor

Item number: 540.23.1888.0

€ 1.466,74


EAN: 5703347531934

Thermex Mini Perpignan 80 cm in black without motor is an inclined hood with Kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

Model Mini Perpignan is a vertical hood. A low hood which, together with the special slanted design, means that the hood does not appear too violent on the wall. This applies both if it is mounted hanging solo or mounted in connection with overhead cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Perpignan. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Extension adapter, white, L: 1x1000 mm	537.23.1140.9	€ 240,93
Special channel, two-part, white, L: 2x1000 mm	537.23.1141.9	€ 392,14
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Ventmex Basic Wired kit	536.99.5000.9	€ 503,03
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46