

Mini Bordeaux

Item number:

€ 0,00

EAN: 5703347530654

Specifications

Energy consumption [W]


3

Control

Remote control

Material

Black painted steel and Black glass



Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Bordeaux 800 mm Black Without motor

Item number: 540.23.1588.0

€ 2.265,13


EAN: 5703347530654

Thermex model Mini Bordeaux 80 cm in black without motor is a vertical container. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall

Model Mini Bordeaux is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall. This applies both if it is installed hanging solo or in connection with upper cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Bordeaux. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Energy consumption [W]	3
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Bordeaux 800 mm Black With motor

Item number: 540.23.1588.2

€ 2.540,33

EAN: 5703347530661


A+++

Thermex model Mini Bordeaux 80 cm in black with motor is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall

Model Mini Bordeaux is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall. This applies both if it is installed hanging solo or in connection with upper cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Bordeaux. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Minimum airflow [m3/h]	140
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m3/h]	480
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m3/h]	720
Soundpower boost [dB(A)]	66
Energy consumption [W]	163
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Bordeaux 600 mm Black Without motor

Item number: 540.23.1568.0

€ 2.278,23


EAN: 5703347530678

Thermex model Mini Bordeaux 60 cm in black with motor is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall

Model Mini Bordeaux is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall. This applies both if it is installed hanging solo or in connection with upper cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Bordeaux. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Energy consumption [W]	3
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Mini Bordeaux 600 mm Black With motor

Item number: 540.23.1568.2

€ 2.568,55

EAN: 5703347530685


A+++

Thermex model Mini Bordeaux 60 cm in black with motor is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall

Model Mini Bordeaux is a vertical scope. A scope with a reduced height, which together with the special slanted design means that the scope does not appear too violent on the wall. This applies both if it is installed hanging solo or in connection with upper cabinets. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Mini Bordeaux. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Minimum airflow [m3/h]	140
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m3/h]	480
Maximum-Soundpower [dB(A)]	59
Airflow with boost [m3/h]	720
Soundpower boost [dB(A)]	66
Energy consumption [W]	163
Control	Remote control
Material	Black painted steel and Black glass

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Aftrækstilbehør

Name	Number	Price
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Extension adapter, black, L: 1x1000 mm	537.23.1143.9	€ 240,93
Special channel, two-part, black, L: 2x1000 mm	537.23.1142.9	€ 392,14

Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Wireless Trigger Link	536.99.1002.9	€ 436,49
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46