

Mini Preston II 800 mm Black Without engine

Item number: 540.23.1688.0

€ 1.857,86


EAN: 5703347530630

Mini Preston II 80 cm in black without motor is an inclined hood with kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

The **Thermex Mini Preston II** is intended for you who do not want the hood to be too obvious or dominant in your kitchen. The Mini Preston II is not as tall as the Preston II, hence the name. When it comes to performance, you lose almost nothing by choosing the slightly smaller model. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex mini preston II. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Energy consumption [W]	3
Control	Remote control
Material	Stainless steel and Black glass

Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, two-part, stainless, L: 2x1000 mm	537.23.1119.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Mini Preston II 800 mm Black With motor

Item number: 540.23.1688.2

€ 2.134,08

EAN: 5703347530647

A+++

Mini Preston II 80 cm in black with motor is an inclined hood with energy-efficient ECO motor, kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.


The **Thermex Mini Preston II** is intended for you who do not want the hood to be too obvious or dominant in your kitchen. The Mini Preston II is not as tall as the Preston II, hence the name. When it comes to performance, you lose almost nothing by choosing the slightly smaller model. **Thermex «All Possibilities» solution** means that it can be adapted to all homes and all types of exhaust and ventilation systems, including **Thermex Plasmex®**.

The hood is controlled by remote control or automatically via the hob with Thermex **Thermex Toplink®**. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use **Voice link** the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex mini preston II. The built-in motor can produce up to 525 m³/h and as much as 750 m³/h when using the boost function.

Specifications

Minimum airflow [m ³ /h]	165
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m ³ /h]	525
Maximum-Soundpower [dB(A)]	61
Airflow with boost [m ³ /h]	750
Soundpower boost [dB(A)]	68
Control	Remote control
Material	Stainless steel and Black glass



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, two-part, stainless, L: 2x1000 mm	537.23.1119.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Mini Preston II 600 mm Black Without engine

Item number: 540.23.1668.0

€ 1.741,94


EAN: 5703347530593

Mini Preston II 60 cm in black without motor is an inclined hood with kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.

The **Thermex Mini Preston II** is intended for you who do not want the hood to be too obvious or dominant in your kitchen. The Mini Preston II is not as tall as the Preston II, hence the name. When it comes to performance, you lose almost nothing by choosing the slightly smaller model. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex mini preston II. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Energy consumption [W]	3
Control	Remote control
Material	Stainless steel and Black glass

Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, two-part, stainless, L: 2x1000 mm	537.23.1119.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Mini Preston II 600 mm Black With motor

Item number: 540.23.1668.2

€ 2.018,15

EAN: 5703347530609

A+++

Mini Preston II 60 cm in black with motor is an inclined hood with energy-efficient ECO motor, kelvin-adjustable work lighting and decorative lighting, with voice link so you can control the hood with verbal commands.


The **Thermex Mini Preston II** is intended for you who do not want the hood to be too obvious or dominant in your kitchen. The Mini Preston II is not as tall as the Preston II, hence the name. When it comes to performance, you lose almost nothing by choosing the slightly smaller model. **Thermex «All Possibilities» solution** means that it can be adapted to all homes and all types of exhaust and ventilation systems, including **Thermex Plasmex®**.

The hood is controlled by remote control or automatically via the hob with Thermex **Thermex Toplink®**. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use **Voice link** the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex mini preston II. The built-in motor can produce up to 525 m³/h and as much as 750 m³/h when using the boost function.

Specifications

Minimum airflow [m ³ /h]	165
Minimum-Soundpower [dB(A)]	40
Maximum-airflow [m ³ /h]	525
Maximum-Soundpower [dB(A)]	61
Airflow with boost [m ³ /h]	750
Soundpower boost [dB(A)]	68
Control	Remote control
Material	Stainless steel and Black glass



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, two-part, stainless, L: 2x1000 mm	537.23.1119.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Mini Preston II

Item number:

€ 0,00

EAN:

Specifications

Energy consumption [W]


3

Control

Remote control

Material

Stainless steel and glass



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, two-part, stainless, L: 2x1000 mm	537.23.1119.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46