

Preston II 600 mm Stainless/Black With motor

Item number: 540.23.2068.2

€ 1.890,13


EAN: 5703347514746

A

Preston II 60 cm in black with motor is an inclined hood in a beautiful and simple design, with a particularly strong suction motor. Discreet and functional glass touch operation

The **Thermex Preston II** is one of our most popular models, and not without reason, nice design and good performance with 3 speeds + boost. Glass touch operation that you call up by passing your hand over the glass plate. When it is not in use, all you see is the black glass plate. Preston II is [Thermex «All Possibilities»](#) compatible, so it can be adapted to all homes and all imaginable ventilation solutions.

Thermex Preston II is a really decorative and good solution. The built-in motor can produce up to 525 m³/h and as much as 750 m³/h when using the boost function.



Specifications

Minimum airflow [m ³ /h]	312
Minimum-Soundpower [dB(A)]	53
Maximum-airflow [m ³ /h]	560
Maximum-Soundpower [dB(A)]	64
Airflow with boost [m ³ /h]	787
Soundpower boost [dB(A)]	69
Control	Glass touch
Material	Stainless steel and Black glass

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, stainless, L: 2x1000 mm	537.23.1019.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter	535.23.0570.9	€ 54,44
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.23.0575.9	€ 54,44
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic II	536.99.1501.9	€ 536,29
Prolink Plasmex II	536.99.1503.9	€ 1.403,23
Prolink Premium II	536.99.1505.9	€ 1.146,18
Thermex Top Link Module II	536.99.1300.9	€ 718,90
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

Preston II 900 mm Stainless/Black With motor

Item number: 540.23.2098.2

€ 2.040,33

EAN: 5703347514760

A

Preston II 90 cm in black with motor is an inclined hood in a beautiful and simple design, with a particularly strong suction motor. Discreet and functional glass touch operation

The **Thermex Preston II** is one of our most popular models, and not without reason, nice design and good performance with 3 speeds + boost. Glass touch operation that you call up by passing your hand over the glass plate. When it is not in use, all you see is the black glass plate. Preston II is [Thermex «All Possibilities»](#) compatible, so it can be adapted to all homes and all imaginable ventilation solutions.

Thermex Preston II is a really decorative and good solution. The built-in motor can produce up to 525 m³/h and as much as 750 m³/h when using the boost function.



Specifications

Minimum airflow [m ³ /h]	327
Minimum-Soundpower [dB(A)]	51
Maximum-airflow [m ³ /h]	543
Maximum-Soundpower [dB(A)]	61
Airflow with boost [m ³ /h]	780
Soundpower boost [dB(A)]	67
Control	Glass touch
Material	Stainless steel and Black glass

Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, stainless, L: 2x1000 mm	537.23.1019.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter	535.23.0570.9	€ 54,44
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.23.0575.9	€ 54,44
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic II	536.99.1501.9	€ 536,29
Prolink Plasmex II	536.99.1503.9	€ 1.403,23
Prolink Premium II	536.99.1505.9	€ 1.146,18
Thermex Top Link Module II	536.99.1300.9	€ 718,90
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

Preston 2

Item number:


€ 0,00

EAN:

Specifications

Control
Material

Glass touch
Stainless steel and Black glass



Tilkøb af montering

Name	Number	Price
------	--------	-------

Aftrækstilbehør

Name	Number	Price
Special channel, stainless, L: 2x1000 mm	537.23.1019.9	€ 392,14
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Recirculation filter	535.23.0570.9	€ 54,44
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.23.0575.9	€ 54,44
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic II	536.99.1501.9	€ 536,29
Prolink Plasmex II	536.99.1503.9	€ 1.403,23
Prolink Premium II	536.99.1505.9	€ 1.146,18
Thermex Top Link Module II	536.99.1300.9	€ 718,90
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50