

E220P

Item number: 240.40.0110.0

€ 1.309,48

EAN: 5703347204517

Silent roof ventilation made of weather-resistant material

Silent roof ventilation made of weather-resistant material. Can be regulated by all THERMEX scopes without motor. P-model is for installation on roofs with a slope and can be easily adjusted to the slope of the roof.

Specifications

Energy consumption [W]	85
Luftmængde ved 0 Pascal [m ³ /t]	860
Minimum sound pressure at 3 meters [dB(A)]	70
Control	None
Material	Plastic



Aftrækstilbehør

Name	Number	Price
Universal tile feed-through for E220P / Eco 220P - Type 1 - Inclination 0-47°	240.40.0112.0	€ 349,80
Feed-through for E220P / Eco 220P concrete roof - Type 2 - Slope 0-45°	240.40.0113.0	€ 273,19
Feed-through for E220P / Eco 220P profiled sheet roof - Type 4 - Inclination 0-40°	240.40.0114.0	€ 265,13
Feed-through for E220P / Eco 220P, Classic cardboard/steel roof - Type 5 - Inclination 11.5-35°	240.40.0115.0	€ 270,16
Feed-through for E220P / Eco 220P cardboard roof - Type 3 - Slope 11-45°	240.40.0116.0	€ 283,26
Feed-through for E220P / Eco 220P cardboard roof - Type 6 - Slope 0-11°	240.40.0118.0	€ 263,10
Roof foundation for E220S / Eco 220S	245.54.5180.9	€ 514,11

Thermex Link

Name	Number	Price
AC/DC converter	536.99.1100.9	€ 323,59

Eco 220S

Item number: 240.40.0132.0

€ 1.580,65

EAN: 5703347206085

Silent roof ventilation made of weather-resistant material

Silent roof ventilation made of weather-resistant material. Can be regulated by all THERMEX scopes without motor. P-model is for installation on roofs with a slope and can be easily adjusted to the slope of the roof.



Specifications

Energy consumption [W]	85
Luftmængde ved 0 Pascal [m ³ /t]	925
Minimum sound pressure at 3 meters [dB(A)]	70
Control	None
Material	Plastic

Aftrækstilbehør

Name	Number	Price
Universal tile feed-through for E220P / Eco 220P - Type 1 - Inclination 0-47°	240.40.0112.0	€ 349,80
Feed-through for E220P / Eco 220P concrete roof - Type 2 - Slope 0-45°	240.40.0113.0	€ 273,19
Feed-through for E220P / Eco 220P profiled sheet roof - Type 4 - Inclination 0-40°	240.40.0114.0	€ 265,13
Feed-through for E220P / Eco 220P, Classic cardboard/steel roof - Type 5 - Inclination 11.5-35°	240.40.0115.0	€ 270,16
Feed-through for E220P / Eco 220P cardboard roof - Type 3 - Slope 11-45°	240.40.0116.0	€ 283,26
Feed-through for E220P / Eco 220P cardboard roof - Type 6 - Slope 0-11°	240.40.0118.0	€ 263,10
Roof foundation for E220S / Eco 220S	245.54.5180.9	€ 514,11

Thermex Link

Name	Number	Price
AC/DC converter	536.99.1100.9	€ 323,59

E220S

Item number: 240.40.0111.0

€ 1.153,23

EAN: 5703347204524

Silent roof ventilation made of weather-resistant material

Silent roof ventilation made of weather-resistant material. Can be regulated by all THERMEX scopes without motor. P-model is for installation on roofs with a slope and can be easily adjusted to the slope of the roof.



Specifications

Energy consumption [W]	85
Luftmængde ved 0 Pascal [m ³ /t]	860
Minimum sound pressure at 3 meters [dB(A)]	70
Control	None
Material	Plastic

Aftrækstilbehør

Name	Number	Price
Universal tile feed-through for E220P / Eco 220P - Type 1 - Inclination 0-47°	240.40.0112.0	€ 349,80
Feed-through for E220P / Eco 220P concrete roof - Type 2 - Slope 0-45°	240.40.0113.0	€ 273,19
Feed-through for E220P / Eco 220P profiled sheet roof - Type 4 - Inclination 0-40°	240.40.0114.0	€ 265,13
Feed-through for E220P / Eco 220P, Classic cardboard/steel roof - Type 5 - Inclination 11.5-35°	240.40.0115.0	€ 270,16
Feed-through for E220P / Eco 220P cardboard roof - Type 3 - Slope 11-45°	240.40.0116.0	€ 283,26
Feed-through for E220P / Eco 220P cardboard roof - Type 6 - Slope 0-11°	240.40.0118.0	€ 263,10
Roof foundation for E220S / Eco 220S	245.54.5180.9	€ 514,11

Thermex Link

Name	Number	Price
AC/DC converter	536.99.1100.9	€ 323,59

Roof fan E220

Item number:

€ 0,00

EAN: 5703347204517


Specifications

Energy consumption [W]

85

Control

None



Aftrækstilbehør

Name	Number	Price
Universal tile feed-through for E220P / Eco 220P - Type 1 - Inclination 0-47°	240.40.0112.0	€ 349,80
Feed-through for E220P / Eco 220P concrete roof - Type 2 - Slope 0-45°	240.40.0113.0	€ 273,19
Feed-through for E220P / Eco 220P profiled sheet roof - Type 4 - Inclination 0-40°	240.40.0114.0	€ 265,13
Feed-through for E220P / Eco 220P, Classic cardboard/steel roof - Type 5 - Inclination 11.5-35°	240.40.0115.0	€ 270,16
Feed-through for E220P / Eco 220P cardboard roof - Type 3 - Slope 11-45°	240.40.0116.0	€ 283,26
Feed-through for E220P / Eco 220P cardboard roof - Type 6 - Slope 0-11°	240.40.0118.0	€ 263,10
Roof foundation for E220S / Eco 220S	245.54.5180.9	€ 514,11

Thermex Link

Name	Number	Price
AC/DC converter	536.99.1100.9	€ 323,59