

## Newcastle Medio 900 mm White Without motor

Item number: 423.19.2151.0

€ 1.757,06

EAN: 5703347421990

Thermex Newcastle medio in white without motor is a minimalist built-in hood that is hidden in the kitchen or in the ceiling and is intended for connection to an external motor, central ventilation or heat recovery

**Thermex Newcastle medio** is the little brother of the Newcastle maxi. It is suitable for installation in deep overhead cabinets and ceiling mounting. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by a remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Newcastle medio. The hood is available in stainless steel, white and black. Thermex has several different external motors that suit your mounting situation and budget.



### Specifications

Control	Remote control
Material	White painted steel

## Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

## Tilkøb af montering

Name	Number	Price
------	--------	-------

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Recirculation filter	535.19.3000.9	€ 61,49
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 900 mm, white, high w/recirculation (height 255 mm)	500.00.3070.0	€ 596,78
Cabinet fittings 900 mm	500.30.3010.2	€ 309,48
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Wire-suspended built-in frame 900 mm, white	500.19.2001.9	€ 323,59
Wire-suspended built-in frame 900 mm, black	500.19.2002.9	€ 323,59

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

## Newcastle Medio 900 mm White With motor

Item number: 423.19.2151.2

€ 2.032,26

EAN: 5703347421020



Thermex Newcastle medio in white with motor is a minimalist built-in hood that can be hidden in the kitchen area or in the ceiling. The included remote control makes it easy to use the hood. The motor is an energy-efficient Eco motor, which ensures a low noise level

**Thermex Newcastle medio** is the little brother of the Newcastle maxi. It is suitable for installation in deep overhead cabinets and ceiling mounting. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by a remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Newcastle medio. The hood is available in stainless steel, white and black and has a maximum air volume of 452 m<sup>3</sup>/h



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>207.1</b>
Minimum-Soundpower [dB(A)]	<b>49</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>452.1</b>
Maximum-Soundpower [dB(A)]	<b>67</b>
Control	<b>Remote control</b>
Material	<b>White painted steel</b>

## Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

## Tilkøb af montering

Name	Number	Price
------	--------	-------

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Recirculation filter	535.19.3000.9	€ 61,49
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 900 mm, white, high w/recirculation (height 255 mm)	500.00.3070.0	€ 596,78
Cabinet fittings 900 mm	500.30.3010.2	€ 309,48
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Wire-suspended built-in frame 900 mm, white	500.19.2001.9	€ 323,59
Wire-suspended built-in frame 900 mm, black	500.19.2002.9	€ 323,59

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

## Newcastle Medio

Item number: 423.19.2152.0

€ 1.757,06

EAN: 5703347532030

Thermex Newcastle medio in black without motor is a minimalist built-in hood that is hidden in the kitchen or in the ceiling and is intended for connection to an external motor, central ventilation or heat recovery

**Thermex Newcastle medio** is the little brother of the Newcastle maxi. It is suitable for installation in deep overhead cabinets and ceiling mounting. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by a remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Newcastle medio. The hood is available in stainless steel, white and black. Thermex has several different external motors that suit your mounting situation and budget.



### Specifications

Control	<b>Remote control</b>
Material	<b>Black painted steel</b>

## Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

## Tilkøb af montering

Name	Number	Price
------	--------	-------

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Recirculation filter	535.19.3000.9	€ 61,49
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 900 mm, white, high w/recirculation (height 255 mm)	500.00.3070.0	€ 596,78
Cabinet fittings 900 mm	500.30.3010.2	€ 309,48
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Wire-suspended built-in frame 900 mm, white	500.19.2001.9	€ 323,59
Wire-suspended built-in frame 900 mm, black	500.19.2002.9	€ 323,59

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

## Newcastle Medio

Item number: 423.19.2152.2

€ 2.032,26

EAN: 5703347532047



Thermex Newcastle medio in black with motor is a minimalist built-in hood that can be hidden in the kitchen area or in the ceiling. The included remote control makes it easy to use the hood. The motor is an energy-efficient Eco motor, which ensures a low noise level

**Thermex Newcastle medio** is the little brother of the Newcastle maxi. It is suitable for installation in deep overhead cabinets and ceiling mounting. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by a remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Newcastle medio. The hood is available in stainless steel, white and black and has a maximum air volume of 452 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>207.1</b>
Minimum-Soundpower [dB(A)]	<b>49</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>452.1</b>
Maximum-Soundpower [dB(A)]	<b>67</b>
Control	<b>Remote control</b>
Material	<b>Black painted steel</b>

## Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

## Tilkøb af montering

Name	Number	Price
------	--------	-------

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Recirculation filter	535.19.3000.9	€ 61,49
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 900 mm, white, high w/recirculation (height 255 mm)	500.00.3070.0	€ 596,78
Cabinet fittings 900 mm	500.30.3010.2	€ 309,48
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Wire-suspended built-in frame 900 mm, white	500.19.2001.9	€ 323,59
Wire-suspended built-in frame 900 mm, black	500.19.2002.9	€ 323,59

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46



## Newcastle Medio

Item number:


€ 0,00

EAN:

### Specifications

Control  
Material

**Remote control**  
**White painted steel**



## Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

## Tilkøb af montering

Name	Number	Price
------	--------	-------

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Recirculation filter	535.19.3000.9	€ 61,49
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 900 mm, white, high w/recirculation (height 255 mm)	500.00.3070.0	€ 596,78
Cabinet fittings 900 mm	500.30.3010.2	€ 309,48
Ceiling podium 900 mm, white, high (H:255 mm)	500.30.3020.0	€ 684,48
Wire-suspended built-in frame 900 mm, white	500.19.2001.9	€ 323,59
Wire-suspended built-in frame 900 mm, black	500.19.2002.9	€ 323,59

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46