

Metz Maxi 1200 mm White

Without motor

Item number: 423.19.3161.0

€ 3.334,68

EAN: 5703347526558

Thermex Metz Maxi in black with motor is a minimalist built-in hood that can be hidden in the kitchen or in the ceiling and is intended for connection to an external motor, central ventilation or heat recovery

Thermex Metz maxi is the largest version in the exclusive Metz series, and is suitable for the large kitchen. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz maxi. Thermex has several different external motors that suit your mounting situation and budget.


Specifications

Control	Remote control
Material	White painted steel and White glass



Metz Maxi

external motor



RevisjonId: 14.01.2019

Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.2000.9	€ 61,49
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 1200 mm, white, high w/recirculation (height 255 mm)	500.00.3050.0	€ 690,53
Wire-suspended built-in frame 1200 mm, white	500.19.1001.9	€ 337,70
Wire-suspended built-in frame 1200 mm, black	500.19.1002.9	€ 337,70

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Metz Maxi 1200 mm White With motor

Item number: 423.19.3161.2

€ 3.338,71

EAN: 5703347418648

B

Thermex Metz Maxi in black with motor is a minimalist built-in hood that can be hidden in the kitchen or in the ceiling. The motor is an energy-efficient Eco motor, which ensures a low noise level.

Thermex Metz maxi is the largest version in the exclusive Metz series, and is suitable for the large kitchen. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.


You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz maxi. The built-in motor can produce up to 562 m3/h.

Specifications

Minimum airflow [m3/h]	274
Minimum-Soundpower [dB(A)]	39
Maximum-airflow [m3/h]	568.7
Maximum-Soundpower [dB(A)]	58
Control	Remote control
Material	White painted steel and White glass



Metz Maxi - Metz Maxi Sky



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.2000.9	€ 61,49
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 1200 mm, white, high w/recirculation (height 255 mm)	500.00.3050.0	€ 690,53
Wire-suspended built-in frame 1200 mm, white	500.19.1001.9	€ 337,70
Wire-suspended built-in frame 1200 mm, black	500.19.1002.9	€ 337,70

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Metz Maxi 1200 mm Black With motor

Item number: 423.19.3168.2

€ 3.614,93

EAN: 5703347418655



Thermex Metz Maxi in black with motor is a minimalist built-in hood that can be hidden in the kitchen or in the ceiling. The motor is an energy-efficient Eco motor, which ensures a low noise level.

Thermex Metz maxi is the largest version in the exclusive Metz series, and is suitable for the large kitchen. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.


You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Metz maxi. The built-in motor can produce up to 562 m3/h.



Specifications

Minimum airflow [m3/h]	274
Minimum-Soundpower [dB(A)]	39
Maximum-airflow [m3/h]	568.7
Maximum-Soundpower [dB(A)]	58
Control	Remote control
Material	Black painted steel and Black glass

Metz Maxi - Metz Maxi Sky



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.2000.9	€ 61,49
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 1200 mm, white, high w/recirculation (height 255 mm)	500.00.3050.0	€ 690,53
Wire-suspended built-in frame 1200 mm, white	500.19.1001.9	€ 337,70
Wire-suspended built-in frame 1200 mm, black	500.19.1002.9	€ 337,70

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Metz Maxi

Item number:


€ 0,00

EAN: 5703347526558

Specifications

Control
Material

Remote control
White painted steel and White glass



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.2000.9	€ 61,49
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Thermex Plasmex® filter II - Flat	535.10.1001.9	€ 2.320,56
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Ceiling podium 1200 mm, white, low (H:155 mm)	500.00.3030.0	€ 752,01
Ceiling podium 1200 mm, white, high (H:255 mm)	500.00.3040.0	€ 690,53
Ceiling podium 1200 mm, white, high w/recirculation (height 255 mm)	500.00.3050.0	€ 690,53
Wire-suspended built-in frame 1200 mm, white	500.19.1001.9	€ 337,70
Wire-suspended built-in frame 1200 mm, black	500.19.1002.9	€ 337,70

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Prolink Basic III	536.99.1550.9	€ 504,04
Prolink Plasmex III	536.99.1551.9	€ 1.403,23
Prolink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46