

Integro 51 II 800 mm Stainless With motor

Item number: 513.21.1088.2

€ 1.016,13

EAN: 5703347531064



Thermex integro 51 II 80 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cupboard, the built-in control makes it easy to use the extractor. The simple assembly concept makes it possible to replace the existing extractor hood without replacing the upper cabinet.

Thermex Integro 51 II is an innovation that fits all standard 60, 80 or 90 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Together with Thermex Integro, this is a slightly underrated solution that is very simple to install. The built-in motor can move up to 602 m³/h



Specifications

| | |
|--|----------------------------------|
| Minimum airflow [m ³ /h] | 278 |
| Minimum-Soundpower [dB(A)] | 52 |
| Maximum-airflow [m ³ /h] | 602 |
| Maximum-Soundpower [dB(A)] | 69 |
| Airflow with boost [m ³ /h] | 700 |
| Soundpower boost [dB(A)] | 70 |
| Control | Soft touch |
| Material | Stainless steel and glass |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Duct/cover Integro 51 II / Premium | 537.21.4108.9 | € 107,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Recirculation filter | 535.21.8400.9 | € 68,55 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Hose set pvc ø162 mm | 800.70.7160.9 | € 87,70 |
| Hose set Ø160 1.2 meters | 800.70.6160.9 | € 66,54 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |

Thermex Link

| Name | Number | Price |
|------------------------------------|---------------|------------|
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Prolink Basic I | 536.99.1500.9 | € 536,29 |
| Prolink Plasmex I | 536.99.1502.9 | € 1.403,23 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Prolink Premium I | 536.99.1504.9 | € 1.146,18 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |

Integro 51 II 600 mm Stainless With motor

Item number: 513.21.1068.2

€ 986,90

EAN: 5703347529450

A

Thermex integro 51 II 60 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cupboard, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing extractor hood without replacing the upper cabinet.

Thermex Integro 51 II is an innovation that fits all standard 60, 80 or 90 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Together with Thermex Integro, this is a slightly underrated solution that is very simple to install. The built-in motor can move up to 602 m³/h



Specifications

| | |
|--|----------------------------------|
| Minimum airflow [m ³ /h] | 278.2 |
| Minimum-Soundpower [dB(A)] | 52 |
| Maximum-airflow [m ³ /h] | 602 |
| Maximum-Soundpower [dB(A)] | 69 |
| Airflow with boost [m ³ /h] | 700 |
| Soundpower boost [dB(A)] | 70 |
| Control | Soft touch |
| Material | Stainless steel and glass |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Duct/cover Integro 51 II / Premium | 537.21.4108.9 | € 107,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Recirculation filter | 535.21.8400.9 | € 68,55 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Hose set pvc ø162 mm | 800.70.7160.9 | € 87,70 |
| Hose set Ø160 1.2 meters | 800.70.6160.9 | € 66,54 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |

Thermex Link

| Name | Number | Price |
|------------------------------------|---------------|------------|
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Prolink Basic I | 536.99.1500.9 | € 536,29 |
| Prolink Plasmex I | 536.99.1502.9 | € 1.403,23 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Prolink Premium I | 536.99.1504.9 | € 1.146,18 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |

Integro 51 II 900 mm Stainless With motor

Item number: 513.21.1098.2

€ 1.074,60

EAN: 5703347529467

A

Thermex integro 51 II 90 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cupboard, the built-in control makes it easy to use the extractor. The simple assembly concept makes it possible to replace the existing extractor hood without replacing the upper cabinet.

Thermex Integro 51 II is an innovation that fits all standard 60, 80 or 90 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Together with Thermex Integro, this is a slightly underrated solution that is very simple to install. The built-in motor can move up to 602 m³/h



Specifications

| | |
|--|----------------------------------|
| Minimum airflow [m ³ /h] | 278.2 |
| Minimum-Soundpower [dB(A)] | 52 |
| Maximum-airflow [m ³ /h] | 602 |
| Maximum-Soundpower [dB(A)] | 69 |
| Airflow with boost [m ³ /h] | 700 |
| Soundpower boost [dB(A)] | 70 |
| Control | Soft touch |
| Material | Stainless steel and glass |

Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Duct/cover Integro 51 II / Premium | 537.21.4108.9 | € 107,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Recirculation filter | 535.21.8400.9 | € 68,55 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Hose set pvc ø162 mm | 800.70.7160.9 | € 87,70 |
| Hose set Ø160 1.2 meters | 800.70.6160.9 | € 66,54 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |

Thermex Link

| Name | Number | Price |
|------------------------------------|---------------|------------|
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Prolink Basic I | 536.99.1500.9 | € 536,29 |
| Prolink Plasmex I | 536.99.1502.9 | € 1.403,23 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Prolink Premium I | 536.99.1504.9 | € 1.146,18 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |

Integro 51 II

Item number:


€ 0,00

EAN:

Specifications

Control
Material

Soft touch
Stainless steel and glass



Tilkøb af montering

| Name | Number | Price |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

Aftrækstilbehør

| Name | Number | Price |
|--|---------------|----------|
| Mini Plasmex | 535.21.1500.9 | € 607,86 |
| Thermex Plasmex® filter I - Round | 535.10.1000.9 | € 911,29 |
| flex hose. Ø 162 mm per meters | 800.70.4162.9 | € 35,29 |
| Duct/cover Integro 51 II / Premium | 537.21.4108.9 | € 107,86 |
| Carbon Flex Filter | 535.46.1000.9 | € 304,44 |
| Tension band 6 60-165 mm | 815.16.8206.9 | € 17,14 |
| Exhaust set Ø 160 mm | 830.51.2162.9 | € 98,79 |
| Recirculation filter | 535.21.8400.9 | € 68,55 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74 |
| Hose set pvc ø162 mm | 800.70.7160.9 | € 87,70 |
| Hose set Ø160 1.2 meters | 800.70.6160.9 | € 66,54 |
| Exhaust set - sound/condensation insulated Ø162 mm | 830.51.6162.9 | € 178,43 |

Thermex Link

| Name | Number | Price |
|------------------------------------|---------------|------------|
| Thermex Trigger Link Module | 536.99.1000.9 | € 231,85 |
| Prolink Basic I | 536.99.1500.9 | € 536,29 |
| Prolink Plasmex I | 536.99.1502.9 | € 1.403,23 |
| Safemex stove guard - 1 phase | 536.06.1000.0 | € 839,71 |
| Prolink Premium I | 536.99.1504.9 | € 1.146,18 |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50 |