

Super Silent Extension 600 mm White Without motor

Item number: 520.19.1261.0

€ 551,41

EAN: 5703347524905

Thermex Super Silent extractor 60cm in white without motor, is an efficient and quiet extractor hood for cupboard mounting, and is intended for connection to an external motor, central ventilation or heat recovery

The Thermex Super Silent Extractor is a very affordable solution for those of you who don't think a hood should do too much of itself. It must be quiet, efficient and look like a natural part of your kitchen. These are exactly the properties you get with a Super Silent Extractor. The large collection surface is easily hidden when you are not using the hood and can be pulled out or pushed in. You can choose between stainless and white front. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent Extractor.



Specifications

Control	Soft touch
Material	White painted steel

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3760.9	€ 107,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.19.3750.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29

Thermex Link

Name	Number	Price
Thermex Top Link Module III	536.99.1350.9	€ 384,08
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Super Silent Extension 600 mm White With motor

Item number: 520.19.1261.2

€ 827,63

EAN: 5703347524004

A

Thermex Super Silent extractor 60cm in white with motor, is an efficient and quiet extractor hood for cupboard mounting. The built-in motor ensures an ultra-low noise level for maximum comfort in the kitchen.

The **Thermex Super Silent Extractor** is a very affordable solution for those of you who don't think a hood should do too much of itself. It must be quiet, efficient and look like a natural part of your kitchen. These are exactly the properties you get with a Super Silent Extractor. The large collection surface is easily hidden when you are not using the hood and can be pulled out or pushed in. You can choose between stainless and white front. **Thermex «All Possibilities» solution** means that it can be adapted to all homes and all types of exhaust and ventilation systems, including **Thermex Plasmex®**.

The hood is controlled by our new smart remote control or automatically via the hob with Thermex **Thermex Toplink®**. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use **Voice link** the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent Extractor. The built-in motor can move up to 524 m³/h.


Specifications

Minimum airflow [m ³ /h]	174.2
Minimum-Soundpower [dB(A)]	38
Maximum-airflow [m ³ /h]	524.5
Maximum-Soundpower [dB(A)]	62
Control	Soft touch
Material	White painted steel



SUPER SILENT UDTRÆK

Internal motor



Revisjonsdato: 24.03.2023

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3760.9	€ 107,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.19.3750.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29

Thermex Link

Name	Number	Price
Thermex Top Link Module III	536.99.1350.9	€ 384,08
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Super Silent Extension 500 mm White With motor

Item number: 520.19.1251.2

€ 813,51

EAN: 5703347523991

A

Thermex Super Silent extractor 50cm in white with motor, is an efficient and quiet extractor hood for cupboard mounting. The built-in motor ensures an ultra-low noise level for maximum comfort in the kitchen.

The **Thermex Super Silent Extractor** is a very affordable solution for those of you who don't think a hood should do too much of itself. It must be quiet, efficient and look like a natural part of your kitchen. These are exactly the properties you get with a Super Silent Extractor. The large collection surface is easily hidden when you are not using the hood and can be pulled out or pushed in. You can choose between stainless and white front. **Thermex «All Possibilities» solution** means that it can be adapted to all homes and all types of exhaust and ventilation systems, including **Thermex Plasmex®**.

The hood is controlled by our new smart remote control or automatically via the hob with Thermex **Thermex Toplink®**. In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use **Voice link** the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Super Silent Extractor. The built-in motor can move up to 524 m³/h.


Specifications

Minimum airflow [m ³ /h]	174.2
Minimum-Soundpower [dB(A)]	38
Maximum-airflow [m ³ /h]	524.5
Maximum-Soundpower [dB(A)]	62
Control	Soft touch
Material	White painted steel



SUPER SILENT UDTRÆK

Internal motor



Revisionsdato: 24.03.2023

Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3760.9	€ 107,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.19.3750.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29

Thermex Link

Name	Number	Price
Thermex Top Link Module III	536.99.1350.9	€ 384,08
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46

Super Silent extraction

Item number:


€ 0,00

EAN:

Specifications

Control
Material

Soft touch
White painted steel



Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor including AC/DC converter	225.34.3721.2	€ 2.778,23
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

Aftrækstilbehør

Name	Number	Price
Recirculation filter	535.19.3760.9	€ 107,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Recirculation filter	535.19.3750.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29

Thermex Link

Name	Number	Price
Thermex Top Link Module III	536.99.1350.9	€ 384,08
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46