

## Integro 51 II Premium

Item number:

€ 1.209,68


EAN: 5703347531095

A+

### Specifications

Control  
Material

Glass touch  
Stainless steel and glass



## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| ProLink Basic I                    | 536.99.1500.9 | € 536,29   |
| ProLink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| ProLink Premium I                  | 536.99.1504.9 | € 1.146,18 |

## Integro 51 II Premium 80 cm

Item number: 513.21.2088.2

€ 1.567,54

EAN: 5703347531088

A+

Thermex Integro 51 II Premium 80 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cabinet, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing hood without replacing the cabinet itself.

**Thermex Integro 51 II Premium 80 cm** is an innovation that fits all standard 60 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen, with electronic control, if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Thermex Integro is a slightly underrated solution that is very simple to install. The built-in motor can move up to 400 m<sup>3</sup>/h



### Specifications

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Minimum airflow [m <sup>3</sup> /h] | <b>253</b>                       |
| Minimum-Soundpower [dB(A)]          | <b>46</b>                        |
| Maximum-airflow [m <sup>3</sup> /h] | <b>432</b>                       |
| Maximum-Soundpower [dB(A)]          | <b>58</b>                        |
| Control                             | <b>Glass touch</b>               |
| Material                            | <b>Stainless steel and glass</b> |

## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| ProLink Basic I                    | 536.99.1500.9 | € 536,29   |
| ProLink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| ProLink Premium I                  | 536.99.1504.9 | € 1.146,18 |

## Integro 51 II Premium 60 cm

Item number: 513.21.2068.2

€ 1.480,85

EAN: 5703347531071

A<sup>+</sup>

Thermex Integro 51 II Premium 60 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cabinet, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing hood without replacing the cabinet itself.

**Thermex Integro 51 II Premium 60 cm** is an innovation that fits all standard 60 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen, with electronic control, if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Thermex Integro is a slightly underrated solution that is very simple to install. The built-in motor can move up to 400 m<sup>3</sup>/h



### Specifications

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Minimum airflow [m <sup>3</sup> /h] | <b>253</b>                       |
| Minimum-Soundpower [dB(A)]          | <b>46</b>                        |
| Maximum-airflow [m <sup>3</sup> /h] | <b>432</b>                       |
| Maximum-Soundpower [dB(A)]          | <b>58</b>                        |
| Control                             | <b>Glass touch</b>               |
| Material                            | <b>Stainless steel and glass</b> |

## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| ProLink Basic I                    | 536.99.1500.9 | € 536,29   |
| ProLink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| ProLink Premium I                  | 536.99.1504.9 | € 1.146,18 |

## Integro 51 II Premium antracit 60 cm

Item number: 513.21.2162.2

€ 1.480,85

EAN: 5703347532740

A+

Thermex Integro 51 II Premium Antracit 60 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cabinet, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing hood without replacing the cabinet itself.



**Thermex Integro 51 II Premium Antracit 60 cm** is an innovation that fits all standard 60 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen, with electronic control, if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Thermex Integro is a slightly underrated solution that is very simple to install. The built-in motor can move up to 400 m<sup>3</sup>/h

### Specifications

|                                     |                           |
|-------------------------------------|---------------------------|
| Minimum airflow [m <sup>3</sup> /h] | 253                       |
| Minimum-Soundpower [dB(A)]          | 46                        |
| Maximum-airflow [m <sup>3</sup> /h] | 432                       |
| Maximum-Soundpower [dB(A)]          | 58                        |
| Control                             | Glass touch               |
| Material                            | Stainless steel and glass |

## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| ProLink Basic I                    | 536.99.1500.9 | € 536,29   |
| ProLink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| ProLink Premium I                  | 536.99.1504.9 | € 1.146,18 |



## Integro 51 II Premium 90 cm

Item number: 513.21.2098.2

€ 1.596,78

EAN: 5703347531095

A+

Thermex Integro 51 II Premium 90 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cabinet, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing hood without replacing the cabinet itself.

**Thermex Integro 51 II Premium 90 cm** is an innovation that fits all standard 60 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen, with electronic control, if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Thermex Integro is a slightly underrated solution that is very simple to install. The built-in motor can move up to 400 m<sup>3</sup>/h



### Specifications

|                                     |                           |
|-------------------------------------|---------------------------|
| Minimum airflow [m <sup>3</sup> /h] | 253                       |
| Minimum-Soundpower [dB(A)]          | 46                        |
| Maximum-airflow [m <sup>3</sup> /h] | 432                       |
| Maximum-Soundpower [dB(A)]          | 58                        |
| Control                             | Glass touch               |
| Material                            | Stainless steel and glass |

## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| Prolink Basic I                    | 536.99.1500.9 | € 536,29   |
| Prolink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| Prolink Premium I                  | 536.99.1504.9 | € 1.146,18 |

## Integro 51 II Premium antracit 90 cm

Item number: 513.21.2192.2

€ 1.596,78

EAN: 5703347532757

A+

Thermex Integro 51 II Premium Antracit 90 cm with motor is a minimalist built-in extractor hood which is hidden in the upper cabinet, the built-in controls make it easy to use the extractor. The simple assembly concept makes it possible to replace the existing hood without replacing the cabinet itself.



**Thermex Integro 51 II Premium Antracit 90 cm** is an innovation that fits all standard 90 cm upper cupboards, it basically just replaces the bottom of the cupboard. You make use of the maximum collection surface and can also fold out the glass screen, with electronic control, if necessary. Integro 51 II is super efficient and has a boost function. The edges of the upper cabinet are well protected by the folds of the hood. Thermex Integro is a slightly underrated solution that is very simple to install. The built-in motor can move up to 400 m<sup>3</sup>/h

### Specifications

|                                     |                           |
|-------------------------------------|---------------------------|
| Minimum airflow [m <sup>3</sup> /h] | 253                       |
| Minimum-Soundpower [dB(A)]          | 46                        |
| Maximum-airflow [m <sup>3</sup> /h] | 432                       |
| Maximum-Soundpower [dB(A)]          | 58                        |
| Control                             | Glass touch               |
| Material                            | Stainless steel and glass |

## Tilkøb af montering

| Name               | Number        | Price       |
|--------------------|---------------|-------------|
| Monteringservice 2 | 999.99.5002.0 | € 16.759,91 |

## Aftrækstilbehør

| Name   | Number        | Price    |
|--|---------------|----------|
| flex hose. Ø 162 mm per meters                       | 800.70.4162.9 | € 35,29  |
| Hose set Ø160 1.2 meters                             | 800.70.6160.9 | € 66,54  |
| Hose set pvc ø162 mm                                 | 800.70.7160.9 | € 87,70  |
| Mini Plasmex   | 535.21.1500.9 | € 607,86 |
| Sound- and condensation-insulated flex hose Ø 162 mm | 810.16.5160.9 | € 91,74  |
| Tension band 6 60-165 mm                             | 815.16.8206.9 | € 17,14  |
| Exhaust set Ø 160 mm                                 | 830.51.2162.9 | € 98,79  |
| Exhaust set - sound/condensation insulated Ø162 mm   | 830.51.6162.9 | € 178,43 |
| Carbon Flex Filter                                   | 535.46.1000.9 | € 304,44 |
| Thermex Plasmex® filter I - Round                    | 535.10.1000.9 | € 911,29 |
| Duct/cover Integro 51 II / Premium                   | 537.21.4108.9 | € 107,86 |
| Recirculation filter                                 | 535.21.8400.9 | € 68,55  |

## Thermex Link

| Name                               | Number        | Price      |
|------------------------------------|---------------|------------|
| Safemex stove guard - 1 phase      | 536.06.1000.0 | € 839,71   |
| Thermex Trigger Link Module        | 536.99.1000.9 | € 231,85   |
| Thermex Plasmex® Smart Link Module | 536.99.1150.9 | € 437,50   |
| ProLink Basic I                    | 536.99.1500.9 | € 536,29   |
| ProLink Plasmex I                  | 536.99.1502.9 | € 1.403,23 |
| ProLink Premium I                  | 536.99.1504.9 | € 1.146,18 |