

PRODUCT INFORMATION

Integro 51 II Basic

Item number:

Data sheet according to COMMISSION DELEGATED REGULATION (EU) No. 65/2014

PRODUCT INFORMATION

Integro 51 II basic 60 cm antracit

Item number: 513.21.0062.2

AEC [kWh/h]	22.5
EI-class	A
FDE-value	21.1
FDE-class	C
LE value [lux/W]	34.3
LE-class	G
GFE-value	69.7
GFE-class	D
Minimum airflow [m ³ /h]	184
Maximum-airflow [m ³ /h]	334
Minimum-Soundpower [dB(A)]	55
Maximum-Soundpower [dB(A)]	65
Energy consumption in off mode (Po) [W]	0
Energiforbrug standby (Ps) [W]	0.2

Data sheet according to COMMISSION DELEGATED REGULATION (EU) No. 65/2014

PRODUCT INFORMATION

Integro 51 II basic 90 cm antracit

Item number: 513.21.0092.2

AEC [kWh/h]	22.5
EEL-class	A
FDE-value	21.1
FDE-class	C
LE value [lux/W]	24.3
LE-class	F
GFE-value	66
GFE-class	D
Minimum airflow [m ³ /h]	184
Maximum-airflow [m ³ /h]	334
Minimum-Soundpower [dB(A)]	55
Maximum-Soundpower [dB(A)]	65
Energy consumption in off mode (Po) [W]	0
Energiforbrug standby (Ps) [W]	0.2

PRODUCT INFORMATION

Integro 51 II Basic 60 cm

Item number: 513.21.0068.2

AEC [kWh/h]	22.5
EEL-class	A
FDE-value	21.1
FDE-class	C
LE value [lux/W]	34.3
LE-class	G
GFE-value	69.7
GFE-class	D
Minimum airflow [m ³ /h]	184
Maximum-airflow [m ³ /h]	334
Minimum-Soundpower [dB(A)]	55
Maximum-Soundpower [dB(A)]	65
Energy consumption in off mode (Po) [W]	0

PRODUCT INFORMATION

Integro 51 II Basic 90 cm

Item number: 513.21.0098.2

AEC [kWh/h]	22.5
EI-class	A
FDE-value	21.1
FDE-class	C
LE value [lux/W]	24.3
LE-class	F
GFE-value	66
GFE-class	D
Minimum airflow [m ³ /h]	184
Maximum-airflow [m ³ /h]	334

Thermex Scandinavia A/S . Farøvej 30 . 9800 Hjørring
+45 9892 6233 . info@thermex.dk

PRODUCT INFORMATION

Integro 51 II Basic 80 cm

Item number: 513.21.0088.2

AEC [kWh/h]	22.5
EI-class	A
FDE-value	21.1
FDE-class	C
LE value [lux/W]	24.3
LE-class	F
GFE-value	66

Thermex Scandinavia A/S . Farøvej 30 . 9800 Hjørring
+45 9892 6233 . info@thermex.dk