

# Metz Mini 750 mm White Without motor

Item number: 423.19.5801.0

€ 2.192,54

EAN: 5703347526725

Thermex Metz mini 750 mm in white without motor is a minimalist built-in hood that is hidden in the overhead cabinet and is intended for connection to an external motor, central ventilation or heat recovery

Thermex Metz mini 750 mm in white without motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.



You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



## Specifications

Control	<b>Remote control</b>
Material	<b>White painted steel and White glass</b>

Metz Mini 734 - external motor



Hole Size: D270 x W740 mm

Revisjonsdato: 15.10.2020

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 750 mm White With motor/removable

Item number: 423.19.5801.2

€ 2.467,74

EAN: 5703347418723

A<sup>+</sup>

Thermex Metz mini 750 mm in white with motor is a minimalist built-in hood that is hidden in the upper cupboard. The motor is an energy-efficient Eco motor, which ensures a low noise level

Thermex Metz mini 750 mm in white with motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.


You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 620 m<sup>3</sup>/h

### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>310</b>
Minimum-Soundpower [dB(A)]	<b>51</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>550</b>
Maximum-Soundpower [dB(A)]	<b>66</b>
Control	<b>Remote control</b>
Material	<b>White painted steel and White glass</b>



Metz Mini 734 - internal motor



Revisjonstid: 02.03.2022

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 750 mm Black Without motor

Item number: 423.19.5808.0

€ 2.047,38

EAN: 5703347526732

Thermex Metz mini 750 mm in black without motor is a minimalist built-in hood that is hidden in the overhead cabinet and is intended for connection to an external motor, central ventilation or heat recovery

Thermex Metz mini 750 mm in black without motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.


You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers

### Specifications

Control	Remote control
Material	Black painted steel and Black glass



Metz Mini 734 - external motor



Hole Size: D270 x W740 mm

Revisjonsdato: 16.10.2020

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 750 mm Black With motor/removable

Item number: 423.19.5808.2

€ 2.322,58

EAN: 5703347418747

A<sup>+</sup>



Thermex Metz mini 750 mm in black with motor is a minimalist built-in hood that is hidden in the upper cupboard. The motor is an energy-efficient Eco motor, which ensures a low noise level

Thermex Metz mini 750 mm in black with motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.


You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 620 m<sup>3</sup>/h



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>310</b>
Minimum-Soundpower [dB(A)]	<b>51</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>550</b>
Maximum-Soundpower [dB(A)]	<b>66</b>
Control	<b>Remote control</b>
Material	<b>Black painted steel and Black glass</b>

Metz Mini 734 - internal motor



Revisjonsdato: 02.03.2022

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50



## Metz Mini 550 mm White Without motor

Item number: 423.19.5601.0

€ 1.800,40

EAN: 5703347526701

Thermex Metz mini 550 mm in white without motor is a minimalist built-in hood that is hidden in the overhead cabinet and is intended for connection to an external motor, central ventilation or heat recovery

Thermex Metz mini 550 mm in white without motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.



You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



### Metz Mini 534 - Metz Micro 534



external motor



Revisjonsdato: 01.02.2019

### Specifications

Control	Remote control
Material	White painted steel and White glass

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 550 mm White With motor/removable

Item number: 423.19.5601.2

€ 2.075,60

EAN: 5703347418686

A<sup>+</sup>



Thermex Metz mini 550 mm in white with motor is a minimalist built-in hood that is hidden in the upper cupboard. The motor is an energy-efficient Eco motor, which ensures a low noise level


Thermex Metz mini 550 mm in white with motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 620 m<sup>3</sup>/h

### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>310</b>
Minimum-Soundpower [dB(A)]	<b>51</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>550</b>
Maximum-Soundpower [dB(A)]	<b>66</b>
Control	<b>Remote control</b>
Material	<b>White painted steel and White glass</b>



## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 550 mm Black Without motor

Item number: 423.19.5608.0

€ 1.698,59

EAN: 5703347526718

Thermex Metz mini 550 mm in black without motor is a minimalist built-in hood that is hidden in the overhead cabinet and is intended for connection to an external motor, central ventilation or heat recovery

Thermex Metz mini 550 mm in black without motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the external motors Thermex offers



### Specifications

Control	Remote control
Material	Black painted steel and Black glass



### Metz Mini 534 - Metz Micro 534

external motor



Revisionsdato: 01.02.2019

## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## Metz Mini 550 mm Black With motor/removable

Item number: 423.19.5608.2

€ 1.974,80

EAN: 5703347418709

A<sup>+</sup>

Thermex Metz mini 550 mm in black with motor is a minimalist built-in hood that is hidden in the upper cupboard. The motor is an energy-efficient Eco motor, which ensures a low noise level


Thermex Metz mini 550 mm in black with motor is a stylish built-in hood and is suitable for a slightly smaller kitchen or if you want to build it into an overhead cabinet. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, too [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via [Google Assistant \(Hey Google\)](#). So there are plenty of options to choose from to operate your Thermex Metz mini. Metz Mini will keep your kitchen and associated rooms completely free of food and steam with the help of the powerful motor that can move up to 620 m<sup>3</sup>/h

### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>310</b>
Minimum-Soundpower [dB(A)]	<b>51</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>550</b>
Maximum-Soundpower [dB(A)]	<b>66</b>
Control	<b>Remote control</b>
Material	<b>Black painted steel and Black glass</b>



## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50



## Metz Mini

Item number:

€ 0,00

EAN: 5703347526701

### Specifications

Control  
Material

**Remote control**  
**White painted steel and White glass**



## Eksterne motorer

Name	Number	Price
External TX motor, wall	225.19.1100.2	€ 683,46
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48

## Aftrækstilbehør

Name	Number	Price
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Recirculation filter	535.19.3300.9	€ 61,49
Mini Plasmex	535.21.1500.9	€ 607,86
Carbon Flex Filter	535.46.1000.9	€ 304,44
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14

## Thermex Link

Name	Number	Price
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50