

Lyon 900 mm Stainless/Black Without motor

Item number: 528.23.1298.0

€ 2.279,24

EAN: 5703347530432

Lyon 90 cm Free-hanging in stainless steel without motor is a classic hood with large suction surface, efficient and energy-friendly ECO motor, and simple and easy-to-use glass touch panel

Model Lyon is a classic rectangular hood with clean and tight lines and rounded corners. The large filter surface ensures efficient and uniform suction. The proximity of the filter surface to the hob ensures efficient absorption. The depth of 520 mm provides plenty of space around the hob. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Lyon. Thermex has several different external motors that suit your mounting situation and budget.



Specifications

Energy consumption [W]	6
Control	Remote control
Material	Stainless steel and Black glass

Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Recirculation filter	535.23.0570.9	€ 54,44
Carbon Flex Filter	535.46.1000.9	€ 304,44
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Special channel, stainless, L: 1950 mm	537.42.5908.9	€ 561,49

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Lyon 900 mm Stainless/Black With motor

Item number: 528.23.1298.2

€ 2.555,44

EAN: 5703347530449


A++

Lyon 90 cm Free-hanging in stainless steel with motor is a classic hood with a large suction surface, efficient and energy-friendly ECO motor, as well as a simple and user-friendly glass touch panel

Model Lyon is a classic rectangular hood with clean and tight lines and rounded corners. The large filter surface ensures efficient and uniform suction. The proximity of the filter surface to the hob ensures efficient absorption. The depth of 520 mm provides plenty of space around the hob. [Thermex «All Possibilities» solution](#) means that it can be adapted to all homes and all types of exhaust and ventilation systems, including [Thermex Plasmex®](#).

The hood is controlled by our new smart remote control or automatically via the hob with Thermex [Thermex Toplink®](#). In addition, you can operate the hood via the Thermex Remote app, which can be downloaded for free from the App store and Google Play. In the app, it is possible to adjust the brightness, activate periodic extraction and get an indication of the filter.

You can also use [Voice link](#) the functionality built into the hood. Here you can control the hood with your voice alone via **Google Assistant (Hey Google)**. So there are plenty of options to choose from to operate your Thermex Lyon. The built-in motor can produce up to 525 m³/h and as much as 740 m³/h when using the boost function



Specifications

Minimum airflow [m ³ /h]	220
Minimum-Soundpower [dB(A)]	46
Maximum-airflow [m ³ /h]	525
Maximum-Soundpower [dB(A)]	63
Airflow with boost [m ³ /h]	740
Soundpower boost [dB(A)]	68
Energy consumption [W]	166
Control	Remote control
Material	Stainless steel and Black glass

Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Recirculation filter	535.23.0570.9	€ 54,44
Carbon Flex Filter	535.46.1000.9	€ 304,44
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Special channel, stainless, L: 1950 mm	537.42.5908.9	€ 561,49

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46

Lyon FH

Item number:

€ 0,00

EAN: 5703347530432

Specifications

Energy consumption [W]


6

Control

Remote control

Material

Stainless steel and Black glass



Eksterne motorer

Name	Number	Price
External CKB - CAB-200, EC motor	225.34.3720.2	€ 2.532,26
E220S	240.40.0111.0	€ 1.153,23
E220P	240.40.0110.0	€ 1.309,48
External TX II motor, ceiling	225.19.1200.2	€ 683,46
External TX motor, wall	225.19.1100.2	€ 683,46

Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
flex hose. Ø 162 mm per meters	800.70.4162.9	€ 35,29
Recirculation filter	535.23.0570.9	€ 54,44
Carbon Flex Filter	535.46.1000.9	€ 304,44
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set Ø 160 mm	830.51.2162.9	€ 98,79
Sound- and condensation-insulated flex hose Ø 162 mm	810.16.5160.9	€ 91,74
Hose set pvc ø162 mm	800.70.7160.9	€ 87,70
Hose set Ø160 1.2 meters	800.70.6160.9	€ 66,54
Exhaust set - sound/condensation insulated Ø162 mm	830.51.6162.9	€ 178,43
Special channel, stainless, L: 1950 mm	537.42.5908.9	€ 561,49

Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
ProLink Basic III	536.99.1550.9	€ 504,04
ProLink Plasmex III	536.99.1551.9	€ 1.403,23
ProLink Premium III	536.99.1552.9	€ 1.057,46
Thermex Top Link Module III	536.99.1350.9	€ 384,08
Thermex Sensemex Indoor climate sensor	536.99.5052.9	€ 227,83
Thermex Hood Light Link	536.99.1003.9	€ 231,85
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50
Thermex Central ventilation link Ø160 mm	536.99.1403.9	€ 683,46
Thermex Central ventilation link Ø125 mm	536.99.1401.9	€ 683,46